INDEX
TO
VOLUME CII, 2007
AUTHOR INDEX

Ahlstrom, L-H.	Alkaline Hydrolysis Combined with Stir-bar Sorptive Extraction or Sonication for the Determination of Banned Azo Dyes in Leather	280
Aldema-Ramos, M.	Monitoring of Available Decorin in Different Parts of Bovine Hide During its Processing into Leather	404
Archana, T.	Dialdehyde Alginic Acid – A Novel Biopolymeric Tanning Agent	353
Aslan, A.	Utilization of Collagen Hydrolysate in Keratinase Production from Bacillus subtilis ATCC 6633	129
Bacardit, A.	Optimization of Two Low-Salt Chrome Tanning Processes without Float	121
Bailey, D.	Deliming of Un-bonded and Bonded Lime from White Hide	158
Banaszak, S.	Optimization of Two Low-Salt Chrome Tanning Processes without Float	121
Bayramoglu, E.	Unique Biocide for the Leather Industry: Essential Oil of Oregano	347
Brown, E.	Evaluation pf Polymers Prepared from Gelatin and Casein or Whey as Potential Fillers	111
Brown, E.	Genipin -Aluminum or -Vegetable Tannin Combinations on Hide Powder	164
Brown, E.	Combination Tanning Based on Tara: An Attempt to make Chrome-Free Garment Leathers	198
Bukovec, N.	Critical Appraisal of Analytical Procedures for the Determination of Cr(VI) in Dyed Leathers by 1,5 Diphenylcarbazide Spectrophotometry after Sample Dilution or Color Removal	85
Cadirci, B.	Utilization of Collagen Hydrolysate in Keratinase Production from Bacillus subtilis ATCC 6633	129
Castiello, D.	Studies of Mono and Divalent Cations Effects on Hair Immunization	341
Celma, P.	The Enzyme Activity of Trypsen on Sheepskin Trimmings in a Two-Step Collagen Extraction Process	1
Chandra Babu, N.	Fe(III) - Cr(III) Combination Tannage for the Production of Soft Leathers	383
Chandrasekaran, B.	Influence of Test length on the Observed Tensile properties of Upholstery Leather: Relation to Weak Link Theory	10
Christie, R.	Photochromic Acid Dyes for Leather	209
Cisa, J.	The Enzyme Activity of Trypsen on Sheepskin Trimmings in a Two-Step Collagen Extraction Process	1
Cooke, P.	Effects of Drying Processes and Fatliquoring on Resiliency of Leather	68
Cooke, P.	Milling Effects on Meahanical Behaviors of Leather	191
Costa, J.	Optimization of Two Low-Salt Chrome Tanning Processes without Float	121
Cot, J.	The Enzyme Activity of Trypsen on Sheepskin Trimmings in a Two-Step Collagen Extraction Process	1
Daniels, R.	The 48th John Aurthur Wilson Memorial Lecture: Tannery Effluent and Reedbeds: Working with Nature	248
de Castellar, M.	Elasticity and Setting of Stretched Leather	43

de Volder, N. Annoying Energy, Part II - Solar Heating of Dark leathers 362

Dhathathreyan, A. Effect of Different Retanning Systems on Surface Properties of Leather 135

Didato, D. Extraction of DNA from Leather and Applications to the Supply Chain 22

Didato, D. Antibiotics in Hide Preservation and Bacteria Control 62

DiMaio, G. Milling Effects on Meahanical Behaviors of Leather 191

Ding, K. Genipin -Aluminum or -Vegetable Tannin Combinations on Hide Powder 164

Ding, K. Combination Tanning Based on Tara: An Attempt to make Chrome-Free Garment Leathers 198

Ding, K. Novel Titanium (IV) Tanning for Leathers with Superior Hydrothermal Stability II. The Influence of Organic Ligands on Stability and Tanning Power of Titanium Sulfate Solutions 261

Ding, K. Novel Titanium (IV) Tanning for Leathers with Superior Hydrothermal Stability III. Study of Factors Affecting Titanium Tanning and an Eco-friendly Titanium Tanning Method 297

Dvorackova, M. Testing Aerobic Degredation of the Protein Portion of Filter Cake after Filtration of Chrome Tanned Waste 77

Fan, H. Novel Titanium (IV) Tanning for Leathers with Superior Hydrothermal Stability II. The Influence of Organic Ligands on Stability and Tanning Power of Titanium Sulfate Solutions 261

Fan, H. Novel Titanium (IV) Tanning for Leathers with Superior Hydrothermal Stability III. Study of Factors Affecting Titanium Tanning and an Eco-friendly Titanium Tanning Method 297

Fernandez-Hervas, F. The Enzyme Activity of Trypsen on Sheepskin Trimmings in a Two-Step Collagen Extraction Process 1

Godinho, M. Kinetic Parameters for the Reactions of Leather Shavings with Oxygen and Carbon Dioxide 175

Godinho, M. Gasification and Combustion of Footwear Leather Wastes 182

González, B. Elasticity and Setting of Stretched Leather 43

Gulumser, G. Utilization of Collagen Hydrolysate in Keratinase Production from Bacillus subtilis ATCC 6633 129

Gutterres, M. Analysis of Vegetable Tannin Absorption during the Tannage Hide/Hide Powder 216

Hallmanns, M. Annoying Energy, Part II - Solar Heating of Dark leathers 362

Hassel, T. Use of Novel Tetrafluoroethene Copolymer Dispersions as Protective Finishe for Leather 322

Heo, J. Development of Regenerated Protein Fibers from a Collagen-Polyvinyl Alcohol Complex 315

Hrncirik, J. Contribution to Assessing Cross-Linking of Protein Hydrolyzate with Diepoxides 393

Hurlow, E. Antibiotics in Hide Preservation and Bacteria Control 62

Imoto, K. Use of Novel Tetrafluoroethene Copolymer Dispersions as Protective Finishe for Leather 322

Ipe, A. Effect of Different Retanning Systems on Surface Properties of Leather 135

Jia, P. Thermal Degredation Kinetics of Sweat Soaked Cattlehide Collagen Fibers 52

Jia, P. Influence of Sweat-Soaking on the Thermal Stability of Retanned and Fatliquored Cattle Hide Collagen Fibers 227

Joo, E. Alkaline Hydrolysis Combined with Stir-bar Sorptive Extraction or Sonication for the Determination of Banned Azo Dyes in Leather 280

Julinova, M.	Testing Aerobic Degredation of the Protein Portion of Filter Cake after Filtration of Chrome Tanned Waste ... 77
Kanth, S.	Effect of Different Retanning Systems on Surface Properties of Leather ... 135
Kanth, S.	Dialdehyde Alginic Acid – A Novel Biopolymeric Tanning Agent ... 353
Karavana, H.	Utilization of Collagen Hydrolysate in Keratinase Production from Bacillus subtilis ATCC 6633 ... 129
Karthikeyan, R.	Fe(III) - Cr(III) Combination Tannage for the Production of Soft Leathers ... 383
Kiesow, H.	Covalent Fixation of Drum Dyes on Collagen ... 93
Kim, W.	Development of Regenerated Protein Fibers from a Collagen-Polyvinyl Alcohol Complex ... 315
Kolomaznik, K.	Deliming of Un-bonded and Bonded Lime from White Hide ... 158
Krishnaraj, K.	Influence of Test length on the Observed Tensile properties of Upholstery Leather: Relation to Weak Link Theory ... 10
Kupec, J.	Testing Aerobic Degredation of the Protein Portion of Filter Cake after Filtration of Chrome Tanned Waste ... 77
Kupec, J.	Contribution to Assessing Cross-Linking of Protein Hydrolyzate with Diepoxides ... 393
Lansarin, M.	Kinetic Parameters for the Reactions of Leather Shavings with Oxygen and Carbon Dioxide ... 175
Latona, N	Effects of Drying Processes and Fatliquoring on Resiliency of Leather ... 68
Latona, N.	Milling Effects on Meahanical Behaviors of Leather ... 191
Latona, R.	Removal of Available Decorin Core-Protein from Powdered Bovine Hide by Treatments used to Process Intact Hides into Leather ... 222
Latona, R.	Monitoring of Available Decorin in Different Parts of Bovine Hide During its Processing into Leather ... 404
Lee, S.	Development of Regenerated Protein Fibers from a Collagen-Polyvinyl Alcohol Complex ... 315
Levy, J.	Annoying Energy, Part II - Solar Heating of Dark leathers ... 362
Liu, C-K.	Effects of Drying Processes and Fatliquoring on Resiliency of Leather ... 68
Liu, C-K.	Milling Effects on Meahanical Behaviors of Leather ... 191
Liu, J.	Thermal Degredation Kinetics of Sweat Soaked Cattlehide Collagen Fibers ... 52
Liu, J.	Influence of Sweat-Soaking on the Thermal Stability of Retanned and Fatliquored Cattle Hide Collagen Fibers ... 227
Madhan, B.	Effect of Different Retanning Systems on Surface Properties of Leather ... 135
Madhan, B.	Dialdehyde Alginic Acid – A Novel Biopolymeric Tanning Agent ... 353
Maeda, M.	Use of Novel Tetrafluoroethene Copolymer Dispersions as Protective Finishe for Leather ... 322
Maier, R.	Use of Novel Tetrafluoroethene Copolymer Dispersions as Protective Finishe for Leather ... 322
Manich, A.	The Enzyme Activity of Trypsen on Sheepskin Trimmings in a Two-Step Collagen Extraction Process ... 1
Manich, A.	Elasticity and Setting of Stretched Leather ... 43
Manich, A.	Influence of Neutralization and Fatliquoring Processes on the Characteristics of Goatskins ... 145
Manich, A.	Factors that Influence the Physical Properties of Goatskins:

	Vegetable Retanning Agents and Sulphated Fatty Alcohol 271
Marcilio, N.	Kinetic Parameters for the Reactions of Leather Shavings with Oxygen and Carbon Dioxide 175
Marcilio, N.	Gasification and Combustion of Footwear Leather Wastes 182
Marmer, W.	Evaluation pf Polymers Prepared from Gelatin and Casein or Whey as Potential Fillers 111
Marmer, W.	Removal of Available Decorin Core-Protein from Powdered Bovine Hide by Treatments used to Process Intact Hides into Leather 222
Marmer, W.	Monitoring of Available Decorin in Different Parts of Bovine Hide During its Processing into Leather 404
Marsal, A.	The Enzyme Activity of Trypsen on Sheepskin Trimmings in a Two-Step Collagen Extraction Process 1
Marsal, A.	Elasticity and Setting of Stretched Leather 43
Marsal, A.	Influence of Neutralization and Fatliquoring Processes on the Characteristics of Goatskins 145
Marsal, A.	Factors that Influence the Physical Properties of Goatskins: Vegetable Retanning Agents and Sulphated Fatty Alcohol 271
Martins, C.	Gasification and Combustion of Footwear Leather Wastes 182
Masotti, L.	Gasification and Combustion of Footwear Leather Wastes 182
Mathiasson, L.	Alkaline Hydrolysis Combined with Stir-bar Sorptive Extraction or Sonication for the Determination of Banned Azo Dyes in Leather 280
Mikulcakova, H.	Testing Aerobic Degredation of the Protein Portion of Filter Cake after Filtration of Chrome Tanned Waste 77
Milacic, R.	Critical Appraisal of Analytical Procedures for the Determination of Cr(VI) in Dyed Leathers by 1,5 Diphenylcarbazide Spectrophotometry after Sample Dilution or Color Removal 85
Mohan, C.	Development of Formaldehyde-free Leathers in Perspective of Retanning: Part I. Benchmarking for the Evolution of a Single Syntan System. 306
Morera, J.	Optimization of Two Low-Salt Chrome Tanning Processes without Float 121
Mozersky, S.	Removal of Available Decorin Core-Protein from Powdered Bovine Hide by Treatments used to Process Intact Hides into Leather 222
Munz, K.	Silicates for Raw Hyde Curing 16
Nair, B.	Development of Formaldehyde-free Leathers in Perspective of Retanning: Part I. Benchmarking for the Evolution of a Single Syntan System. 306
Nair, B.	Dialdehyde Alginic Acid – A Novel Biopolymeric Tanning Agent 353
Nirenjana, M.	Dialdehyde Alginic Acid – A Novel Biopolymeric Tanning Agent 353
Olle, L.	Optimization of Two Low-Salt Chrome Tanning Processes without Float 121
Osterman, T.	Critical Appraisal of Analytical Procedures for the Determination of Cr(VI) inDyed Leathers by 1,5 Diphenylcarbazide Spectrophotometry after Sample Dilution or Color Removal 85
Ozgunay, H.	Molecular Investigation of Valonea Tannin 154
Palop, R.	Influence of Neutralization and Fatliquoring Processes on the Characteristics of Goatskins 145
Palop, R.	Factors that Influence the Physical Properties of Goatskins:

	Vegetable Retanning Agents and Sulphated Fatty Alcohol 271
Peng, B.	Novel Titanium (IV) Tanning for Leathers with Superior Hydrothermal Stability II. The Influence of Organic Ligands on Stability and Tanning Power of Titanium Sulfate Solutions 261
Peng, B.	Novel Titanium (IV) Tanning for Leathers with Superior Hydrothermal Stability III. Study of Factors Affecting Titanium Tanning and an Eco-friendly Titanium Tanning Method 297
Pseja, J.	Contribution to Assessing Cross-Linking of Protein Hydrolyzate with Diepoxides..... 393
Puccini, M.	Studies of Mono and Divalent Cations Effects on Hair Immunization..... 341
Puentener, A.	REACH brings Major Challenge for the Chemical and Leather Imports into the European Community .. 408
Punti, I.	The Enzyme Activity of Trypsen on Sheepskin Trimmings in a Two-Step Collagen Extraction Process 1
Ramanaiah, B.	Fe(III) - Cr(III) Combination Tannage for the Production of Soft Leathers..... 383
Ramesh, R.	Fe(III) - Cr(III) Combination Tannage for the Production of Soft Leathers..... 383
Ramkumar, S.	Influence of Test length on the Observed Tensile properties of Upholstery Leather: Relation to Weak Link Theory 10
Rangarajan, R.	Extraction of DNA from Leather and Applications to the Supply Chain 22
Rao, J.	Dialdehyde Alginic Acid – A Novel Biopolymeric Tanning Agent 353
Rao, J.	Development of Formaldehyde-free Leathers in Perspective of Retanning: Part I. Benchmarking for the Evolution of a Single Syntan System..... 306
Reiners, J.	Use of Novel Tetrafluoroethene Copolymer Dispersions as Protective Finishe for Leather 322
Rowshanzamir, M.	Alkaline Hydrolysis Combined with Stir-bar Sorptive Extraction or Sonication for the Determination of Banned Azo Dyes in Leather..... 280
Saravanabhavan, S.	Development of Formaldehyde-free Leathers in Perspective of Retanning: Part I. Benchmarking for the Evolution of a Single Syntan System..... 306
Sari, O.	Molecular Investigation of Valonea Tannin..... 154
Scancar, J.	Critical Appraisal of Analytical Procedures for the Determination of Cr(VI) in Dyed Leathers by 1.5 Diphenylcarbazide Spectrophotometry after Sample Dilution or Color Removal 85
Shah, M.	Photochromic Acid Dyes for Leather 209
Shelly, D.	Influence of Test length on the Observed Tensile properties of Upholstery Leather: Relation to Weak Link Theory 10
Shelly, D.	Novel Titanium (IV) Tanning for Leathers with Superior Hydrothermal Stability II. The Influence of Organic Ligands on Stability and Tanning Power of Titanium Sulfate Solutions 261
Shelly, D.	Novel Titanium (IV) Tanning for Leathers with Superior Hydrothermal Stability III. Study of Factors Affecting Titanium Tanning and an Eco-friendly Titanium Tanning Method 297
Shelly D.	Studies of Mono and Divalent Cations Effects on Hair Immunization..... 341
Shi, B.	A Theoretical Study on Autoxidation of Unsaturated Fatty Acids and Antioxidant Activity of Phenolic Compounds 99
Shi, B.	Novel Titanium (IV) Tanning for Leathers with Superior Hydrothermal Stability II. The Influence of Organic Ligands on Stability and Tanning Power of Titanium Sulfate Solutions 261

Shi, B.	Novel Titanium (IV) Tanning for Leathers with Superior Hydrothermal Stability III. Study of Factors Affecting Titanium Tanning and an Eco-friendly Titanium Tanning Method	297
Shi, J.	A Theoretical Study on Autoxidation of Unsaturated Fatty Acids and Antioxidant Activity of Phenolic Compounds	99
Shin, E.	Development of Regenerated Protein Fibers from a Collagen-Polyvinyl Alcohol Complex	315
Siggel, L.	Leather Related Collagen Modeling: The Challenges of Modeling Hierarchical Structures	333
Silberkuhl, F.	New Micro-sphere Application in the Leather Industry	288
Somogyi, L.	Covalent Fixation of Drum Dyes on Collagen	93
Stockman, G.	Extraction of DNA from Leather and Applications to the Supply Chain	22
Stockman, G.	Antibiotics in Hide Preservation and Bacteria Control	62
Tang, K.	Thermal Degredation Kinetics of Sweat Soaked Cattlehide Collagen Fibers	52
Tang, K.	Influence of Sweat-Soaking on the Thermal Stability of Retanned and Fatliquored Cattle Hide Collagen Fibers	227
Taylor, M.	Evaluation pf Polymers Prepared from Gelatin and Casein or Whey as Potential Fillers	111
Taylor, M.	Deliming of Un-bonded and Bonded Lime from White Hide	158
Taylor, M.	Genipin -Aluminum or -Vegetable Tannin Combinations on Hide Powder	164
Taylor, M.	Combination Tanning Based on Tara: An Attempt to make Chrome-Free Garment Leathers	198
Tegtmeyer, D.	New Micro-sphere Application in the Leather Industry	288
Tegtmeyer, D.	Use of Novel Tetrafluoroethene Copolymer Dispersions as Protective Finishe for Leather	322
Thanikaivelan, P.	Influence of Test length on the Observed Tensile properties of Upholstery Leather: Relation to Weak Link Theory	10
Thanikaivelan, P.	Development of Formaldehyde-free Leathers in Perspective of Retanning: Part I. Benchmarking for the Evolution of a Single Syntan System	306
Tozan, M.	Molecular Investigation of Valonea Tannin	154
Tupy, M.	Contribution to Assessing Cross-Linking of Protein Hydrolyzate with Diepoxides	393
Tysoe, C.	New Micro-sphere Application in the Leather Industry	288
Ueda, A.	Use of Novel Tetrafluoroethene Copolymer Dispersions as Protective Finishe for Leather	322
Usha, R.	Fe(III) - Cr(III) Combination Tannage for the Production of Soft Leathers	383
Ussman, M.	Elasticity and Setting of Stretched Leather	43
Venba, R.	Effect of Different Retanning Systems on Surface Properties of Leather	135
Vilela, A.	Gasification and Combustion of Footwear Leather Wastes	182
Vitolo, S.	Studies of Mono and Divalent Cations Effects on Hair Immunization	341
Vorlaender, O.	New Micro-sphere Application in the Leather Industry	288
Wang, F.	Thermal Degredation Kinetics of Sweat Soaked Cattlehide Collagen Fibers	52
Wang, Q.	Thermal Degredation Kinetics of Sweat Soaked Cattlehide Collagen Fibers	52

Wildbrett, S. Use of Novel Tetrafluoroethene Copolymer Dispersions as Protective Finishe for Leather 322

Wolf, G. Covalent Fixation of Drum Dyes on Collagen 93

Yasa, I. Utilization of Collagen Hydrolysate in Keratinase Production from Bacillus subtilis ATCC 6633 129

Zeyen, W. New Micro-sphere Application in the Leather Industry 288

Zhang, W. A Theoretical Study on Autoxidation of Unsaturated Fatty Acids and Antioxidant Activity of Phenolic Compounds 99

Zheng, X. Influence of Sweat-Soaking on the Thermal Stability of Retanned and Fatliquored Cattle Hide Collagen Fibers 227